

EXPERIENCE UNPARALLELED STRENGTH AND STABILITY - BBH Slide

BBH drawer slides catalogue



“Engineered for maximum durability and smooth operation”

Perfect for industrial applications, our slides can handle the toughest loads with ease, ensuring reliability and longevity in your projects. Upgrade to the best in class for unbeatable performance and efficiency!



BBH drawer slide - BBH01076

76mm; Locker; Full extension; 225KGS loading




- Material: cold-rolled steel
- Slide width: 76mm
- Slide thickness: 19.2mm
- Max load: 225 KG
- Length from 300-1200mm

Order information

NL	Item No.	Package	Remark
300	BBH01076-300	2 sets	Package includes * Left & right drawer slide
350	BBH01076-350	2 sets	
400	BBH01076-400	2 sets	
450	BBH01076-450	2 sets	
500	BBH01076-500	2 sets	
550	BBH01076-550	2 sets	
600	BBH01076-600	2 sets	
650	BBH01076-650	2 sets	
700	BBH01076-700	2 sets	
750	BBH01076-750	2 sets	
800	BBH01076-800	2 sets	
850	BBH01076-850	2 sets	
900	BBH01076-900	2 sets	
950	BBH01076-950	2 sets	
1000	BBH01076-1000	2 sets	
1050	BBH01076-1050	2 sets	
1100	BBH01076-1100	2 sets	
1150	BBH01076-1150	2 sets	
1200	BBH01076-1200	2 sets	

Installation dimensions



Size	T	L	A	B	C	D	E	F	G	H	I	J	K
300mm	304.8	304.8							134.8				184.1
350mm	355.6	355.6							185.6				234.9
400mm	406.4	406.4	107.9						236.4				285.7
450mm	457.2	457.2	107.9						287.2				336.5
500mm	508	508	107.9	171.4				277.8	338				387.3
550mm	558.8	558.8	107.9	171.4				328.6	388.8				438.1
600mm	609.6	609.6	107.9	171.4				379.4	439.6				488.9
650mm	660.4	660.4	107.9	171.4				430.2	490.4				539.7
700mm	711.2	711.2	107.9	171.4				481	541.2				590.5
750mm	762	762	107.9	171.4	349.2			531.8	592	215.8		482.6	641.3
800mm	812.8	812.8	107.9	171.4	349.2			582.6	642.8	215.8	374.6	533.4	692.1
850mm	863.6	863.6	107.9	171.4	349.2	450.8		633.4	693.6	215.8	400	584.2	742.9
900mm	914.4	914.4	107.9	171.4	349.2	501.6		684.2	744.4	215.8	425.4	635	793.7
950mm	965.2	965.2	107.9	171.4	349.2	501.6		735	795.2	215.8	450.8	685.8	844.5
1000mm	1016	1016	107.9	171.4	349.2	527		785.8	846	215.8	476.2	736.6	895.3
1050mm	1066.8	1066.8	107.9	171.4	349.2			836.6	896.8	215.8	501.6	787.4	946.1
1100mm	1117.6	1117.6	107.9	171.4	349.2			887.4	947.6	215.8	527	838.2	996.9
1150mm	1168.4	1168.4	107.9	171.4	349.2	501.6		938.2	998.4	215.8	552.4	889	1047.7
1200mm	1219.2	1219.2	107.9	171.4	349.2	501.6		989	1049.2	215.8	577.8	939.7	1098.5

BBH drawer slide - BBH02053

53mm; Locker; Full extension; 100KGS loading




- Material: cold-rolled steel
- Slide width: 53mm
- Slide thickness: 19.2mm
- Max load: 100 KG
- Length from 300-1200mm

Order information

NL	Item No.	Package	Remark
300	BBH02053-300	5 sets	Package includes * Left & right drawer slide
350	BBH02053-350	5 sets	
400	BBH02053-400	5 sets	
450	BBH02053-450	5 sets	
500	BBH02053-500	5 sets	
550	BBH02053-550	5 sets	
600	BBH02053-600	5 sets	
650	BBH02053-650	5 sets	
700	BBH02053-700	5 sets	
750	BBH02053-750	5 sets	
800	BBH02053-800	5 sets	
850	BBH02053-850	5 sets	
900	BBH02053-900	5 sets	
950	BBH02053-950	5 sets	
1000	BBH02053-1000	5 sets	

Installation dimensions



Size	A	B	C	D	E	F	G	H	I
300mm	300	300	192				192		
350mm	355	385	224				256		
400mm	406	435	288				288		
450mm	457	485	192	128			96	224	
500mm	508.5	535	224	160			128	256	
550mm	559	590	256	160			160	256	
600mm	610	635	288	192			160	320	
650mm	660	690	288	224			192	192	128
700mm	712	740	320	256			224	192	160
750mm	762	790	192	192	224		224	224	160
800mm	813	845	192	192	160	128	224	256	192
850mm	864	890	192	224	160	160	224	288	224
900mm	915	945	192	256	160	160	224	288	256
950mm	965.5	990	192	288	160	192	224	352	256
1000mm	1016	1050	192	288	192	192	224	416	224

BBH drawer slide - BBH03153

53mm; Full extension; 100KGS loading




- Material: cold-rolled steel
- Slide width: 53mm
- Slide thickness: 19.2mm
- Max load: 100 KG
- Length from 300-1200mm

Order information

NL	Item No.	Package	Remark
300	BBH03153-300	5 sets	Package includes * Left & right drawer slide
350	BBH03153-350	5 sets	
400	BBH03153-400	5 sets	
450	BBH03153-450	5 sets	
500	BBH03153-500	5 sets	
550	BBH03153-550	5 sets	
600	BBH03153-600	5 sets	
650	BBH03153-650	5 sets	
700	BBH03153-700	5 sets	
750	BBH03153-750	5 sets	
800	BBH03153-800	5 sets	
850	BBH03153-850	5 sets	
900	BBH03153-900	5 sets	
950	BBH03153-950	5 sets	
1000	BBH03153-1000	5 sets	
1050	BBH03153-1050	5 sets	
1100	BBH03153-1100	5 sets	
1150	BBH03153-1150	5 sets	
1200	BBH03153-1200	5 sets	

Installation dimensions



Size	A	B	C	D	E	F	G	H	I	J	K	L	M	N
300mm	300	300	96	96							224			
350mm	350	350	96	96							256			
400mm	400	400	96	96	96			96			320			
450mm	450	450	96	96	96			96			320			
500mm	500	500	96	96	96	96		96			320	96		
550mm	550	550	96	96	96	96		96			320	128		
600mm	600	600	96	96	96	96	96	96	96		416	96		
650mm	650	650	96	96	96	96	96	96	96		416	96	64	
700mm	700	700	96	96	96	96	96	96	96		416	96	64	
750mm	750	750	96	96	96	96	96	96	96	96	512	64	96	
800mm	800	800	96	96	96	96	96	96	96	96	512	64	96	
850mm	850	850	96	96	96	96	96	96	96	96	512	64	96	1x96
900mm	900	900	96	96	96	96	96	96	96	96	512	64	96	1x96
950mm	950	950	96	96	96	96	96	96	96	96	512	64	96	1x96
1000mm	1000	1000	96	96	96	96	96	96	96	96	512	64	96	2x96
1050mm	1050	1050	96	96	96	96	96	96	96	96	512	64	96	3x96
1100mm	1100	1100	96	96	96	96	96	96	96	96	512	64	96	3x96
1200mm	1200	1200	96	96	96	96	96	96	96	96	512	64	96	4x96

For more information, please visit CEMUX.COM
or contact us email INFO@CEMUX.COM

CEMUX
LIVE YOUR LIFE

CEMUX TECHNOLOGY LTD

—
Kilkeary,
Nenagh,
Co. Tipperary
Ireland
Tel: 00353 67 31471